


CORREIAS EM “V” / CORREAS TRAPEZOIDALES

Metric Power™




C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva

Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPZ / SPZ

REF. DA CORREIA	C.D. (mm)	C.E. (mm)	REF. DA CORREIA	C.D. (mm)	C.E. (mm)	REF. DA CORREIA	C.D. (mm)	C.E. (mm)
XPZ 604	604	617	XPZ 1087	1087	1100	XPZ 1637	1637	1650
XPZ 612	612	625	XPZ 1090	1090	1103	XPZ 1650	1650	1663
XPZ 630	630	643	XPZ 1112	1112	1125	XPZ 1662	1662	1675
XPZ 637	637	650	XPZ 1120	1120	1133	XPZ 1687	1687	1700
XPZ 640	640	653	XPZ 1137	1137	1150	XPZ 1700	1700	1713
XPZ 660	660	673	XPZ 1140	1140	1153	XPZ 1712	1712	1725
XPZ 662	662	675	XPZ 1150	1150	1163	XPZ 1737	1737	1750
XPZ 670	670	683	XPZ 1162	1162	1175	XPZ 1750	1750	1763
XPZ 672	672	685	XPZ 1180	1180	1193	XPZ 1762	1762	1775
XPZ 682	682	695	XPZ 1187	1187	1200	XPZ 1787	1787	1800
XPZ 687	687	700	XPZ 1200	1200	1213	XPZ 1800	1800	1813
XPZ 710	710	723	XPZ 1202	1202	1215	XPZ 1812	1812	1825
XPZ 722	722	735	XPZ 1210	1210	1223	XPZ 1837	1837	1850
XPZ 730	730	743	XPZ 1212	1212	1225	XPZ 1850	1850	1863
XPZ 737	737	750	XPZ 1227	1227	1240	XPZ 1862	1862	1875
XPZ 750	750	763	XPZ 1237	1237	1250	XPZ 1887	1887	1900
XPZ 758	758	771	XPZ 1250	1250	1263	XPZ 1900	1900	1913
XPZ 760	760	773	XPZ 1262	1262	1275	XPZ 1937	1937	1950
XPZ 762	762	775	XPZ 1270	1270	1283	XPZ 1950	1950	1963
XPZ 772	772	785	XPZ 1280	1280	1293	XPZ 1962	1962	1975
XPZ 787	787	800	XPZ 1285	1285	1298	XPZ 1987	1987	2000
XPZ 800	800	813	XPZ 1287	1287	1300	XPZ 2000	2000	2013
XPZ 812	812	825	XPZ 1312	1312	1325	XPZ 2030	2030	2043
XPZ 825	825	838	XPZ 1320	1320	1333	XPZ 2037	2037	2050
XPZ 837	837	850	XPZ 1337	1337	1350	XPZ 2062	2062	2075
XPZ 850	850	863	XPZ 1340	1340	1353	XPZ 2087	2087	2100
XPZ 862	862	875	XPZ 1347	1347	1360	XPZ 2120	2120	2133
XPZ 875	875	888	XPZ 1362	1362	1375	XPZ 2137	2137	2150
XPZ 887	887	900	XPZ 1387	1387	1400	XPZ 2150	2150	2163
XPZ 900	900	913	XPZ 1400	1400	1413	XPZ 2160	2160	2173
XPZ 912	912	925	XPZ 1412	1412	1425	XPZ 2187	2187	2200
XPZ 925	925	938	XPZ 1420	1420	1433	XPZ 2240	2240	2253
XPZ 937	937	950	XPZ 1430	1430	1443	XPZ 2280	2280	2293
XPZ 950	950	963	XPZ 1437	1437	1450	XPZ 2287	2287	2300
XPZ 962	962	975	XPZ 1450	1450	1463	XPZ 2300	2300	2313
XPZ 975	975	988	XPZ 1462	1462	1475	XPZ 2360	2360	2373
XPZ 980	980	993	XPZ 1470	1470	1483	XPZ 2410	2410	2423
XPZ 987	987	1000	XPZ 1487	1487	1500	XPZ 2437	2437	2450
XPZ 1000	1000	1013	XPZ 1500	1500	1513	XPZ 2487	2487	2500
XPZ 1010	1010	1023	XPZ 1512	1512	1525	XPZ 2500	2500	2513
XPZ 1012	1012	1025	XPZ 1520	1520	1533	XPZ 2540	2540	2553
XPZ 1024	1024	1037	XPZ 1527	1527	1540	XPZ 2650	2650	2663
XPZ 1030	1030	1043	XPZ 1537	1537	1550	XPZ 2690	2690	2703
XPZ 1037	1037	1050	XPZ 1550	1550	1563	XPZ 2800	2800	2813
XPZ 1047	1047	1060	XPZ 1560	1560	1573	XPZ 2840	2840	2853
XPZ 1060	1060	1073	XPZ 1562	1562	1575	SPZ 3000	3000	3013
XPZ 1062	1062	1075	XPZ 1587	1587	1600	SPZ 3150	3150	3163
XPZ 1077	1077	1090	XPZ 1600	1600	1613	SPZ 3350	3350	3363
XPZ 1080	1080	1093	XPZ 1612	1612	1625	SPZ 3550	3550	3563

CORREIAS EM "V" / CORREAS TRAPEZOIDALES



Metric Power™

C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva


Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPA / SPA

REF. DA CORREIA	C.D. (mm)	C.E. (mm)	REF. DA CORREIA	C.D. (mm)	C.E. (mm)	REF. DA CORREIA	C.D. (mm)	C.E. (mm)
XPA630	630	647	XPA1320	1320	1337	XPA2057	2057	2074
XPA670	670	687	XPA1332	1332	1349	XPA2060	2060	2077
XPA690	690	707	XPA1340	1340	1357	XPA2082	2082	2099
XPA730	730	747	XPA1357	1357	1374	XPA2120	2120	2137
XPA732	732	749	XPA1360	1360	1377	XPA2132	2132	2149
XPA747	747	764	XPA1367	1367	1384	XPA2182	2182	2199
XPA750	750	767	XPA1375	1375	1392	SPA2207	2207	2224
XPA757	757	774	XPA1382	1382	1399	XPA2227	2227	2244
XPA760	760	777	XPA1400	1400	1417	SPA2232	2232	2249
XPA762	762	779	XPA1407	1407	1424	XPA2240	2240	2257
XPA772	772	789	XPA1425	1425	1442	XPA2282	2282	2299
XPA782	782	799	XPA1430	1430	1447	SPA2300	2300	2317
XPA800	800	817	XPA1432	1432	1449	XPA2307	2307	2324
XPA807	807	824	XPA1450	1450	1467	SPA2332	2332	2349
XPA832	832	849	XPA1457	1457	1474	SPA2360	2360	2377
XPA850	850	867	XPA1482	1482	1499	SPA2382	2382	2399
XPA857	857	874	XPA1500	1500	1517	XPA2430	2430	2447
XPA882	882	899	XPA1507	1507	1524	SPA2432	2432	2449
XPA900	900	917	XPA1525	1525	1542	SPA2482	2482	2499
XPA907	907	924	XPA1532	1532	1549	SPA2500	2500	2517
XPA910	910	927	XPA1550	1550	1567	SPA2532	2532	2549
XPA922	922	939	XPA1557	1557	1574	SPA2550	2550	2567
XPA925	925	942	XPA1582	1582	1599	SPA2582	2582	2599
XPA932	932	949	XPA1600	1600	1617	SPA2607	2607	2624
XPA950	950	967	XPA1607	1607	1624	SPA2632	2632	2649
XPA957	957	974	XPA1630	1630	1647	SPA2650	2650	2667
XPA967	967	984	XPA1632	1632	1649	SPA2682	2682	2699
XPA975	975	992	XPA1650	1650	1667	SPA2732	2732	2749
XPA982	982	999	XPA1657	1657	1674	SPA2782	2782	2799
XPA1000	1000	1017	XPA1662	1662	1679	SPA2800	2800	2817
XPA1007	1007	1024	XPA1675	1675	1692	SPA2832	2832	2849
XPA1030	1030	1047	XPA1680	1680	1697	SPA2847	2847	2864
XPA1032	1032	1049	XPA1682	1682	1699	SPA2882	2882	2899
XPA1060	1060	1077	SPA1700	1700	1717	SPA2900	2900	2917
XPA1082	1082	1099	XPA1707	1707	1724	SPA2932	2932	2949
XPA1090	1090	1107	XPA1732	1732	1749	SPA2982	2982	2999
XPA1107	1107	1124	XPA1750	1750	1767	SPA3000	3000	3017
XPA1120	1120	1137	XPA1757	1757	1774	SPA3032	3032	3049
XPA1132	1132	1149	XPA1782	1782	1799	SPA3070	3070	3087
XPA1140	1140	1157	XPA1800	1800	1817	SPA3082	3082	3099
XPA1150	1150	1167	XPA1807	1807	1824	SPA3150	3150	3167
XPA1157	1157	1174	XPA1832	1832	1849	SPA3182	3182	3199
XPA1180	1180	1197	XPA1850	1850	1867	SPA3282	3282	3299
XPA1207	1207	1224	XPA1857	1857	1874	SPA3350	3350	3367
XPA1215	1215	1232	SPA1875	1875	1892	SPA3382	3382	3399
XPA1232	1232	1249	XPA1882	1882	1899	SPA3482	3482	3499
XPA1250	1250	1267	SPA1900	1900	1917	SPA3550	3550	3567
XPA1257	1257	1274	XPA1907	1907	1924	SPA3750	3750	3767
XPA1272	1272	1289	XPA1932	1932	1949	SPA4000	4000	4017
XPA1282	1282	1299	XPA1950	1950	1967	SPA4230	4230	4247
XPA1285	1285	1302	XPA1982	1982	1999	SPA4250	4250	4267
XPA1300	1300	1317	SPA2000	2000	2017	SPA4500	4500	4517
XPA1307	1307	1324	SPA2032	2032	2049			

CORREIAS EM "V" / CORREAS TRAPEZOIDALES

Metric Power™




C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva

Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPB / SPB

REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)
XPB1250	1250	1272	XPB2020	2020	2042	SPB3550	3550	3572
XPB1260	1260	1282	XPB2098	2098	2120	SPB3600	3600	3622
XPB1320	1320	1342	XPB2120	2120	2142	SPB3750	3750	3772
XPB1340	1340	1362	XPB2150	2150	2172	SPB3800	3800	3822
XPB1400	1400	1422	XPB2180	2180	2202	SPB4000	4000	4022
XPB1410	1410	1432	XPB2240	2240	2262	SPB4050	4050	4072
XPB1450	1450	1472	XPB2280	2280	2302	SPB4250	4250	4272
XPB1500	1500	1522	XPB2300	2300	2322	SPB4300	4300	4322
XPB1510	1510	1532	XPB2360	2360	2382	SPB4500	4500	4522
XPB1550	1550	1572	XPB2391	2391	2413	SPB4560	4560	4582
XPB1590	1590	1612	XPB2410	2410	2432	SPB4750	4750	4772
XPB1600	1600	1622	XPB2500	2500	2522	SPB4820	4820	4842
XPB1627	1627	1649	XPB2530	2530	2552	SPB5000	5000	5022
XPB1650	1650	1672	XPB2650	2650	2672	SPB5070	5070	5092
XPB1690	1690	1712	XPB2680	2680	2702	SPB5300	5300	5322
XPB1700	1700	1722	XPB2800	2800	2822	SPB5600	5600	5622
XPB1750	1750	1772	XPB2840	2840	2862	SPB6000	6000	6022
XPB1800	1800	1822	SPB2990	2990	3012	SPB6300	6300	6322
XPB1850	1850	1872	SPB3000	3000	3022	SPB6700	6700	6722
XPB1900	1900	1922	SPB3150	3150	3172	SPB7100	7100	7122
XPB1950	1950	1972	SPB3250	3250	3272	SPB7500	7500	7522
XPB2000	2000	2022	SPB3350	3350	3372	SPB8000	8000	8022



C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva


Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPC / SPC

REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)
XPC1800	1800	1830	SPC3550	3550	3580,15936	SPC6700	6700	6730,15936
SPC2000	2000	2030,15936	SPC3750	3750	3780,15936	SPC7100	7100	7130,15936
SPC2120	2120	2150,15936	SPC4000	4000	4030,15936	SPC7500	7500	7530,15936
SPC2240	2240	2270,15936	SPC4250	4250	4280,15936	SPC8000	8000	8030,15936
SPC2360	2360	2390,15936	SPC4500	4500	4530,15936	SPC8500	8500	8530,15936
SPC2500	2500	2530,15936	SPC4750	4750	4780,15936	SPC9000	9000	9030,15936
SPC2650	2650	2680,15936	SPC5000	5000	5030,15936	SPC9500	9500	9530,15936
SPC2800	2800	2830,15936	SPC5300	5300	5330,15936	SPC10000	10000	10030,1594
SPC3000	3000	3030,15936	SPC5600	5600	5630,15936	SPC10600	10600	10630,1594
SPC3150	3150	3180,15936	SPC6000	6000	6030,15936	SPC11200	11200	11230,1594
SPC3350	3350	3380,15936	SPC6300	6300	6330,15936			

CORREIAS EM “V” / CORREAS TRAPEZOIDALES

QuadPower™ II PowerBand™




C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva

Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPZ / SPZ

REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)
#/XPZ 800	800	813	#/XPZ 1340	1340	1353	#/XPZ 2000	2000	2013
#/XPZ 850	850	863	#/XPZ 1362	1362	1375	#/XPZ 2030	2030	2043
#/XPZ 900	900	913	#/XPZ 1400	1400	1413	#/XPZ 2120	2120	2133
#/XPZ 950	950	963	#/XPZ 1420	1420	1433	#/XPZ 2160	2160	2173
#/XPZ 1000	1000	1013	#/XPZ 1450	1450	1463	#/XPZ 2240	2240	2253
#/XPZ 1030	1030	1043	#/XPZ 1500	1500	1513	#/XPZ 2360	2360	2373
#/XPZ 1060	1060	1073	#/XPZ 1550	1550	1563	#/XPZ 2500	2500	2513
#/XPZ 1090	1090	1103	#/XPZ 1600	1600	1613	#/XPZ 2650	2650	2663
#/XPZ 1120	1120	1133	#/XPZ 1650	1650	1663	#/XPZ 2800	2800	2813
#/XPZ 1150	1150	1163	#/XPZ 1700	1700	1713	#/XPZ 3000	3000	3013
#/XPZ 1180	1180	1193	#/XPZ 1750	1750	1763	#/XPZ 3150	3150	3163
#/XPZ 1212	1212	1225	#/XPZ 1800	1800	1813	#/XPZ 3350	3350	3363
#/XPZ 1250	1250	1263	#/XPZ 1850	1850	1863	#/XPZ 3550	3550	3563
#/XPZ 1270	1270	1283	#/XPZ 1900	1900	1913			
#/XPZ 1320	1320	1333	#/XPZ 1950	1950	1963			

= N° de correias unidas / N° de correas unidos



C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva

Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO


Seção / Sección - XPA / SPA

REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)
#/XPA800	800	817	#/XPA1360	1360	1377	#/XPA2120	2120	2137
#/XPA850	850	867	#/XPA1400	1400	1417	#/XPA2240	2240	2257
#/XPA900	900	917	#/XPA1450	1450	1467	#/XPA2360	2360	2377
#/XPA950	950	967	#/XPA1500	1500	1517	#/XPA2430	2430	2447
#/XPA1000	1000	1017	#/XPA1600	1600	1617	#/XPA2500	2500	2517
#/XPA1030	1030	1047	#/XPA1650	1650	1667	#/XPA2650	2650	2667
#/XPA1060	1060	1077	#/XPA1700	1700	1717	#/XPA2800	2800	2817
#/XPA1090	1090	1107	#/XPA1750	1750	1767	#/XPA3000	3000	3017
#/XPA1120	1120	1137	#/XPA1800	1800	1817	#/XPA3150	3150	3167
#/XPA1150	1150	1167	#/XPA1850	1850	1867	#/XPA3350	3350	3367
#/XPA1180	1180	1197	#/XPA1900	1900	1917	#/XPA3550	3550	3567
#/XPA1250	1250	1267	#/XPA2000	2000	2017	#/XPA3750	3750	3767
#/XPA1320	1320	1337	#/XPA2060	2060	2077	#/XPA4000	4000	4017

= N° de correias unidas / N° de correas unidos

CORREIAS EM “V” / CORREAS TRAPEZOIDALES

QuadPower™ II PowerBand™



C.D. = Comprimento Datum / Longitud Datum
C.E. = Comprimento Efetivo / Longitud efectiva

Satisfaz as exigências das normas ABNT NBR / RMA / ISO
 Satisface las exigencias de las normas ABNT NBR / RMA / ISO

Seção / Sección - XPB / SPB

REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)	REF. DA CORREIA	C.D. (mm)	C. E. (mm)
#/XPB1250	1250	1272	#/XPB1950	1950	1972	#/XPB2840	2840	2862
#/XPB1320	1320	1342	#/XPB2000	2000	2022	#/XPB3000	3000	3022
#/XPB1400	1400	1422	#/XPB2120	2120	2142	#/XPB3150	3150	3172
#/XPB1450	1450	1472	#/XPB2150	2150	2172	#/XPB3350	3350	3372
#/XPB1500	1500	1522	#/XPB2240	2240	2262	#/XPB3550	3550	3572
#/XPB1600	1600	1622	#/XPB2280	2280	2302	#/XPB3750	3750	3772
#/XPB1650	1650	1672	#/XPB2360	2360	2382	#/XPB4000	4000	4022
#/XPB1700	1700	1722	#/XPB2410	2410	2432	#/XPB4250	4250	4272
#/XPB1750	1750	1772	#/XPB2500	2500	2522	#/XPB4500	4500	4522
#/XPB1800	1800	1822	#/XPB2530	2530	2552	#/XPB4750	4750	4772
#/XPB1850	1850	1872	#/XPB2680	2680	2702			
#/XPB1900	1900	1922	#/XPB2800	2800	2822			

= N° de correias unidas / N° de correas unidos